

BRECCIA





BRECCIA / NOIR p.24



BRECCIA / SILVER p.14

BRECCIA

colors

BRECCIA / WHITE



BRECCIA / SILVER



BRECCIA / NOIR



BRECCIA / WHITE p.6

BRECCIA/COLOR BODY PORCELAIN MADE IN THE USA.

BRECCIA

Available in 12"x24", 12"x12",
3"x12" Listello, along with
coordinating bullnose, mosaics,
and cove base options.




BRECCIA





Breccia is an Italian word describing a fragment of mineral or rock formed together to make a new complex structure. Its striking visual appearance have made Breccia a popular choice in architecture and design for thousands of years because of its unique qualities. This material has been embellishing important buildings and palaces since ancient times and can add a touch of luxury to your home or business with its factual beauty and effortless sophistication. Breccia from Milestone is a striking example of this precious stone and is full of depth and movement. Breccia is available in three designer colors and three modular sizes, as well as a variety of mosaics and trims.





BRECCIA / WHITE

BRECCIA







12"x12". 12"x24" / **WHITE** Polished






12"x12". 12"x24" / **WHITE** Polished



ZALA
ORVÉLTO





BRECCIA / **SILVER**

16 | **BRECCIA**



3"x12". listello / **SILVER** Polished .12"x12". mosaic / **WHITE** Polished





3"x12". listello / **SILVER** Polished . 12"x12". mosaic / **WHITE** Polished . 12"x24". / **SILVER**











ALM HACH
MALE HACH
A M A L O N
B L G A
N E V P T
MON E
NAR AB
C A R
LO R L
DE W
CU C U
FRES AT
M A L

ROXANNE LOWIT BACKSTAGE DIOR |
wolterinck's world OUTIN |

12"x12". 12"x24" / **SILVER** Polished







BRECCIA / NOIR

BRECCIA











12"x12"/ NOIR





3"x12". listello .12"x24" / **NOIR** Polished





3"x12". listello .12"x24" / **NOIR** Polished





3"x12". listello .12"x24" / **NOIR** Polished



SIZES & SHADE VARIATION

38

sizes:

12"x24"
Matte / Rectified



1100533 Noir
1100532 Silver
1100531 White

12"x24"
Polished / Rectified



1100536 Noir
1100535 Silver
1100534 White

12"x12"
Matte / Rectified




1100539 Noir
1100538 Silver
1100537 White

12"x12"
Polished / Rectified



1100542 Noir
1100541 Silver
1100540 White

3"x12"
Listello / Polished




1100560 Noir
1100559 Silver
1100558 White

Colors shown may vary from
actual product.
Final selection should be made
from actual product samples.


mosaics & trim pieces:

12"x12" Mosaic
(36 dot) Matte



1100551 Noir
1100550 Silver
1100549 White

12"x12" Mosaic
(36 dot) Polished



1100554 Noir
1100553 Silver
1100552 White

3"x12" Bullnose
Matte



1100548 Noir
1100547 Silver
1100546 White

3"x12" Bullnose
Polished




1100545 Noir
1100544 Silver
1100543 White

6"x12" Cove Base *special order only
Matte



1100557 Noir
1100556 Silver
1100555 White



V1

UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.










V4

SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



technical specifications

		REFERENCE VALUE	DECLARED VALUE	TEST METHOD
	SURFACE ABRASION		V	ASTM C1027
	WATER ABSORPTION	≤0.5%	MEETS REQUIREMENT	ASTM C373
	CHEMICAL RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM 650
	DYNAMIC COEFFICIENT OF FRICTION	≥0.51 WET	MEETS REQUIREMENT	ANSI A137.1
	STAIN RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM C1378
	BREAKING STRENGTH	AS REPORTED	≥400	ASTM C648
	RESISTANCE TO FREEZE	AS REPORTED	RESISTANT	ASTM C1026



RESISTANT FOR THE HOUSE The product is water-resistant: it stops liquids, body oils, acidic and staining substances from penetrating the tiles. It resists scratches, scuffs and gauges better than any other floor covering. It does not absorb fumes, odors or smoke. It doesn't discolor or fade when exposed to sunlight, or other natural elements. It is completely fire proof. It resists burns and doesn't feed a fire. Its high resistance to abrasive dirt and grime makes it suitable even for heavy-traffic areas of the house such as hallways, entrances, foyers and walkways.

FROST RESISTANT Exceeding the ADA standard requirements, the Milestone product can also be used for outside applications. It stands up to abrupt temperature changes and freezing-thaw cycles. When properly installed according to ANSI A137.1. It's strong enough to be used in exterior applications even in frigid climates. Proper consideration must be given to the anti-slip requirements of the area to be tiled.

ANTI-SLIP The testing conducted on our finished product will guarantee that all of our tiles will have an anti-slip surface so they may be used with total confidence in kitchen and bath applications. The Milestone product is perfect for both home and commercial interiors, such as restaurants, offices, retail stores, etc. Its anti-slip properties provide a safe walking surface in both wet and dry conditions, according to the Americans with Disabilities Act.

HYGIENE/SANATATION & EASY CLEANING The Milestone product doesn't absorb odors or bacteria of any kind. It's easy to clean with a damp sponge, mop, or cloth. For a more intense cleaning, simply use a mild solution of water and a common household detergent. Regular cleaning will stop the growth of germs and bacteria in damp areas such as the bathroom.

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

packaging

SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	SQ. FT PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x24" RECTIFIED	30x60	10	6	12	58.8	48	576	2,822
12"x12" RECTIFIED	30x30	10	13	13	53.3	48	624	2,558
3"x12" LISTELLO	7.5x30	10	12	3	13.2	168	2,016 pcs	2,218
MOSAICS AND COORDINATING TRIMS								
12"x12" MOSAIC (36 DOT)	30x30	10	10	10	35	45	450 pcs	1,575
3"x12" BULLNOSE	7.5x30	10	12	3	12.9	168	2,016 pcs	2,167
6"x12" COVE BASE	15x30	7	10	5	17.5	64	640 pcs	1,120

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.

PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

Routine care instructions:

1. Wash with water to remove superficial dirt.
2. Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
3. Let the solution sit 5-7 minutes.
4. Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.
5. Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

CLEANING & MAINTENANCE



Contributes to LEED credits

CERTIFICATIONS & ACCREDITATIONS

PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Milestone spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Milestone products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Milestone offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Milestone commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

SUGGESTED INSTALLATIONS

PEI Class

V

Heavy traffic

In the presence of scratching dirt, in the most severe conditions to which glazed surfaces can be exposed (entryways, work areas, restaurants, exhibitions, shops, and other environments in public or private buildings, and more)



300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

