

MARBLES



MARBLES



MARBLES / VOLAKAS SILK p.4



MARBLES / CARRARA WHITE p.14



MARBLES / ONICIATA IVORY p.22



MARBLES / ONICIATA GREY p.34



MARBLES / MARMO NERO p.40

colors

MARBLES / VOLAKAS SILK



MARBLES / CARRARA WHITE



MARBLES / ONICIATA IVORY



MARBLES / ONICIATA GREY



MARBLES / MARMO NERO



Classic in nature,
modern in presentation.

With the unique ability to tie together rustic and modern décor schemes, or to stand alone in its own brilliance, marble-looks have been sought after for centuries.

Classically timeless, the Marbles collection contains an array of five designer shades, sure to please even the most discerning interior designers. Boasting four attractive sizes including a gorgeous large format 24"x48".


The Marbles collection is comprised of 40% recycled content, is made from locally sourced, natural materials and contains no VOCs, PVC or Formaldehyde, commonly found in other flooring options.





MARBLES / VOLAKAS SILK

6 | **MARBLES**



24"x24" / **VOLAKAS SILK** polished . 8"x24" / **VOLAKAS SILK** polished





12"x24" / VOLAKAS SILK matte . 9"x11" Hexagon Mosaic matte / VOLAKAS SILK




12"x24" / VOLAKAS SILK matte . 9"x9" Hexagon Mosaic matte / VOLAKAS SILK



MARBLES / CARRARA WHITE

MARBLES



12"x24" / **CARRARA WHITE** matte . 9"x11" Hexagon Mosaic matte / **MARMO NERO**




12"x24" / CARRARA WHITE matte . 9"x11" Hexagon Mosaic matte / MARMO NERO



MARBLES / ONICIATA IVORY

MARBLES







24"x48" / ONICIATA IVORY matte . 8"x24" / ONICIATA IVORY polished



12"x24" / **ONICIATA IVORY** matte . 12"x12" Mosaic / **ONICIATA IVORY** polished





MARBLES / ONICIATA GREY

MARBLES



12"x24" / ONICIATA GREY matte . 8"x24" / ONICIATA GREY polished



12"x24" / ONICIATA GREY matte





24"x48" / ONICIATA GREY polished . 12"x24" / ONICIATA GREY polished





MARBLES / MARMO NERO




24"x48" / MARMO NERO polished

SIZES & SHADE VARIATION


sizes:

24"x48"
Matte / Rectified 10 mm




- 1102327 Volakas Silk
- 1102328 Carrara White
- 1102329 Oniciata Ivory
- 1102330 Oniciata Grey
- 1102331 Marmo Nero

24"x48"
Polished / Rectified 10 mm



- 1102332 Volakas Silk
- 1102333 Carrara White
- 1102334 Oniciata Ivory
- 1102335 Oniciata Grey
- 1102336 Marmo Nero

24"x24"
Matte / Pressed 8 mm



- 1102282 Volakas Silk
- 1102283 Carrara White
- 1102284 Oniciata Ivory
- 1102285 Oniciata Grey
- 1102286 Marmo Nero

24"x24"
Polished / Rectified 8 mm



- 1102337 Volakas Silk
- 1102338 Carrara White
- 1102339 Oniciata Ivory
- 1102340 Oniciata Grey
- 1102341 Marmo Nero

12"x24"
Matte / Pressed 8 mm



- 1102292 Volakas Silk
- 1102293 Carrara White
- 1102294 Oniciata Ivory
- 1102295 Oniciata Grey
- 1102296 Marmo Nero

12"x24"
Polished / Rectified 8 mm



- 1102342 Volakas Silk
- 1102343 Carrara White
- 1102344 Oniciata Ivory
- 1102345 Oniciata Grey
- 1102346 Marmo Nero

8"x24"
Polished / Rectified 8 mm




- 1102379 Volakas Silk
- 1102380 Carrara White
- 1102381 Oniciata Ivory
- 1102382 Oniciata Grey
- 1102383 Marmo Nero

Colors shown may vary from actual product. Final selection should be made from actual product samples.


mosaics & trim pieces:

12"x12" Mosaic Matte
(36 dot) 2"x2"



- 1102357 Volakas Silk
- 1102358 Carrara White
- 1102359 Oniciata Ivory
- 1102360 Oniciata Grey
- 1102362 Marmo Nero

12"x12" Mosaic Polished
(36 dot) 2"x2"



- 1102363 Volakas Silk
- 1102364 Carrara White
- 1102365 Oniciata Ivory
- 1102367 Oniciata Grey
- 1102368 Marmo Nero

9"x11"
Hexagon Mosaic Matte



- 1102369 Volakas Silk
- 1102370 Carrara White
- 1102371 Oniciata Ivory
- 1102372 Oniciata Grey
- 1102373 Marmo Nero

9"x11"
Hexagon Mosaic Polished



- 1102374 Volakas Silk
- 1102375 Carrara White
- 1102376 Oniciata Ivory
- 1102377 Oniciata Grey
- 1102378 Marmo Nero

3"x12" Bullnose matte




- 1102347 Volakas Silk
- 1102348 Carrara White
- 1102349 Oniciata Ivory
- 1102350 Oniciata Grey
- 1102351 Marmo Nero

3"x12" Bullnose matte




- 1102352 Volakas Silk
- 1102353 Carrara White
- 1102354 Oniciata Ivory
- 1102355 Oniciata Grey
- 1102356 Marmo Nero



V1

UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION


Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.















V4

SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



technical specifications

		Test Method	Industry Standard	MILE@stone Values
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.4%
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. No sample must show visible defects.	NOT AFFECTED
	D.C.O.F. AcuTest®	ANSI A326.3	≥0.42% WET	≥0.42% WET
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED
	BREAKING STRENGTH	ASTM C648	≥250 lb/ft ²	8mm ≥300 lb/ft ² 10mm ≥400 lb/ft ²
	FREEZE RESISTANCE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT
	WARPAGE EDGE	ASTM C485	Warpage ± 0.4% or ± 0.05 in	≥± 0.4%
	WARPAGE DIAGONAL	ASTM C485	Warpage ± 0.4% or ± 0.07 in	≥± 0.4%
	WAPAGE EDGE	ASTM C485	Warpage ± 0.5% or ± 0.07 in	≥± 0.5%
	WARPAGE DIAGONAL	ASTM C485	Warpage ± 0.5% or ± 0.07 in	≥± 0.5%
	WEDGING	ASTM C502	± 0.25% or ± 0.03 in	≥± 0.25%
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

packaging

SIZES		THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
24"x48" RECTIFIED	NOMINAL	10	2	16 SF	76.8 LBS	32	512 SF	2,457.6 LBS
24"x24" PRESSED & RECTIFIED	NOMINAL	8	4	16 SF	52.8 LBS	36	576 SF	1,900 LBS
12"x24" PRESSED & RECTIFIED	NOMINAL	8	8	16 SF	52.8 LBS	48	768 SF	2,534 LBS
8"x24" RECTIFIED	NOMINAL	8	15	19.05 SF	62.87 LBS	36	685.8 SF	2,263 LBS
MOSAICS AND COORDINATING TRIMS								
12"x12" MOSAIC (2"x2" - 36 DOT)	NOMINAL	8	10	10 PCS	33	45	450 PCS	1,485
9"x11" HEXAGON MOSAIC (12 DOT)	NOMINAL	8	10	10 PCS	33	45	450 PCS	1,485
3"x12" BULLNOSE	NOMINAL	8	15	15 PCS	14.55	168	2,520 PCS	2,444.4

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.
ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.
PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

CERTIFICATIONS & ACCREDITATIONS

GREENWORKS




MEMBERSHIPS



CERTIFICATION



USAGE & FEATURES



PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Milestone spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Milestone products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Milestone offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Milestone commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

CLEANING & MAINTENANCE

Routine care instructions:

1. Wash with water to remove superficial dirt.
2. Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
3. Let the solution sit 5-7 minutes.
4. Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.
5. Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

made in the
USA 

300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

